



TECHNICAL AND ENGINEERING COMPANY  
ELECTRIC ACTUATOR MANUFACTURER

## Mechanical Data Sheet AM060

### Contents

1. SCOPE.....	2
2. REFERENCE DOCUMENTS.....	2
3. ACTUATOR SIZING.....	2
4. QUICK ACCESS TO INFORMATION.....	3
5. DIMENSIONAL DRAWING.....	4

## 1. SCOPE

This document provides guidance notes about dimensional drawing information.

These notes are applicable to the sizing of the following instrument equipment:

- AM060 Multi-turn actuators

Any deviation from the present Calculation Notes at any stage of the project shall be subject to manufacturer approval.

## 2. REFERENCE DOCUMENTS

This document is complemented by the others as specified below:

- KSN 8569S310: Mechanical Datasheet
- KSN 8569S311: Technical Specification
- KSN 8569S312: Datasheet

## 3. ACTUATOR SIZING

The sizing of multi-turn actuators body will be in accordance with KSN 8569S311.

#### 4. QUICK ACCESS TO INFORMATION

The table below is for actuators with single-phase, 24VDC and 220VAC-50Hz power input. They work in C type according to EN15714-2.

Model	Speed (RPM)	Torque (N.m)	Maximum start (1/h)	Flange Type (ISO5211)	Weight (KG)	IP Protection (EN60529)
AM060a	0-40	60-90	1500	F07/F10	16	IP68

The table below is for actuators with single-phase, 24VDC and 220VAC-50Hz power input. They work in B type according to EN15714-2.

Model	Speed (RPM)	Torque (N.m)	Maximum start (1/h)	Flange Type (ISO5211)	Weight (KG)	IP Protection (EN60529)
AM060b	40	60-90	60	F07/F10	16	IP68

### 5. DIMENSIONAL DRAWING

